

# POISON

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

FARMALINX

# Ometho-Mite

## 290 SL INSECTICIDE

ACTIVE CONSTITUENT: 290 g/L OMETHOATE  
(an anti-cholinesterase compound)

GROUP **1B** INSECTICIDE

*For control of redlegged earth mite,  
blue oat mite and lucerne flea on  
pastures, cereals, oilseed and legume  
crops, and bluegreen aphid and  
cowpea aphid on pasture legumes,  
lucerne, faba beans and vetch.*

IMPORTANT: READ THE ATTACHED LEAFLET  
BEFORE OPENING OR USING

**farmalinx** *Partners in Agriculture*

FARMALINX Pty Ltd ABN 95 134 353 245

Suite 2506, Level 25, Tower 2, 101 Grafton Street,

Bondi Junction NSW 2022


T: 02 9389 2455 F: 02 9389 2844

W: www.farmalinx.com

CONTENTS  
**10 Litres**



UN. 3017  
ORGANOPHOSPHORUS PESTICIDE, LIQUID,  
TOXIC, FLAMMABLE  
(CONTAINS OMETHOATE)  
HAZCHEM: 3W  
PG: III



#### STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to the spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling break, crush, or puncture and bury containers at a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

#### SAFETY DIRECTIONS

Product and spray are poisonous if absorbed by skin contact, inhaled or swallowed. Will irritate the eyes. Repeated exposure may cause allergic disorders. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. DO NOT inhale spray mist. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length PVC gloves and face shield and impervious footwear. If clothing becomes contaminated with product remove clothing immediately. If product on skin, immediately wash area with soap and water. If product in eyes, wash out immediately with water. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

#### FIRST AID

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre. Phone Australia 131126 or a Doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

#### MATERIAL SAFETY DATA SHEET

Additional information is listed in the material safety data sheet (MSDS). A material safety data sheet for FARMALINX Ometho-Mite 290 SL Insecticide is available from FARMALINX Pty Ltd on request. Call Customer Service on 02 9389 2455.

**NOTICE:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under off-label permits not endorsed by FARMALINX Pty Ltd or under abnormal conditions. FARMALINX Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.

	IN A TRANSPORT EMERGENCY <b>DIAL 000</b> POLICE OR FIRE BRIGADE
	SPECIALIST ADVICE IN AN EMERGENCY ONLY <b>0408 600 295</b> ALL HOURS – AUSTRALIA WIDE



Batch No.

Date of Manufacture

APVMA Approval No.: 65414/50861