

Section 1 - Identification of The Material and Supplier

FARMALINX Pty Ltd
Level 25, Suite 2506 (Tower 2)
101 Grafton Street
Bondi Junction, NSW 2022

Phone: 02 9389 2455
Fax: 02 9389 2844
www.farmalinx.com

Chemical nature: Chlorpyrifos is an organophosphorus derivative.
Trade Name: **FarmaLinx Chlorpos 500 EC Insecticide**
APVMA Number: 64319
Product Use: Agricultural insecticide for use as described on the product label.
Creation Date: **October, 2009**
This version issued: **October, 2020 and is valid for 5 years from that date.**

Section 2 - Hazards Identification

Statement of Hazardous Nature

This product is classified as: Hazardous according to the criteria of SWA Australia.

Dangerous according to Australian Dangerous Goods (ADG) Code, IATA and IMDG/IMSBC criteria.


Risk Phrases: R24/25, R50/53. Toxic in contact with skin and if swallowed. Very toxic to aquatic organisms, may cause long-term adverse effects to the aquatic environment.

Safety Phrases: S20, S28, S45, S60, S61, S1/2, S36/37. When using, do not eat or drink. After contact with skin, wash immediately with plenty of soap and water. In case of accident or if you feel unwell, contact a doctor or Poisons Information Centre immediately (show the label where possible). This material and its container must be disposed of as hazardous waste. Avoid release to the environment. Refer to special instructions/Safety Data Sheets. Keep locked up and out of reach of children. Wear suitable protective clothing and gloves.

SUSMP Classification: S6

ADG Classification: Class 6.1: Toxic substances.

UN Number: 3018, ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC



GHS Signal word: DANGER.

HAZARD STATEMENT:

- H301: Toxic if swallowed.
- H311: Toxic in contact with skin.
- H410: Very toxic to aquatic life with long lasting effects.

PREVENTION

- P264: Wash contacted areas thoroughly after handling.
- P270: Do not eat, drink or smoke when using this product.
- P280: Wear protective gloves, protective clothing and eye or face protection.

RESPONSE

- P312: Call a POISON CENTER or doctor if you feel unwell.
- P361: Remove all contaminated clothing immediately.
- P363: Wash contaminated clothing before reuse.
- P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P302+P352: IF ON SKIN: Wash with plenty of soap and water.
- P333+P313: If skin irritation or rash occurs: Get medical advice.
- P337+P313: If eye irritation persists: Get medical advice.
- P391: Collect spillage.
- P370+P378: In case of fire, note the following. Water fog or fine spray is the preferred medium for large fires. Try to contain spills, minimise spillage entering drains or water courses.

STORAGE

- P405: Store locked up.
- P402+P404: Store in a dry place. Store in a closed container.

SAFETY DATA SHEET

P403+P235: Store in a well-ventilated place. Keep cool.

DISPOSAL

P501: Dispose of contents and containers to landfill.

Emergency Overview

Physical Description & Colour: Clear, amber coloured liquid.

Odour: Solvent odour.

Major Health Hazards: Chlorpyrifos is harmful to humans. Symptoms of acute exposure to organophosphate or cholinesterase-inhibiting compounds may include the following: numbness, tingling sensations, incoordination, headache, dizziness, tremor, nausea, abdominal cramps, sweating, blurred vision, difficulty breathing or respiratory depression, and slow heartbeat. Very high doses may result in unconsciousness, incontinence, and convulsions or fatality. Toxic in contact with skin and if swallowed. Signs and symptoms associated with mild exposures to organophosphate and carbamate pesticides include: headache, fatigue, dizziness, loss of appetite with nausea, stomach cramps and diarrhoea; blurred vision associated with excessive tearing; contracted pupils of the eye; excessive sweating and salivation; slowed heartbeat, often fewer than 50 per minute; rippling of surface muscles just under the skin. These symptoms may be mistaken for those of flu, heat stroke or heat exhaustion, or upset stomach. Moderately severe organophosphate and carbamate insecticide poisoning cases exhibit all the signs and symptoms found in mild poisonings, but in addition, the victim: is unable to walk; often complains of chest discomfort and tightness; exhibits marked constriction of the pupils (pinpoint pupils); exhibits muscle twitching; has involuntary urination and bowel movement. Severe poisonings are indicated by incontinence, unconsciousness and seizures.

Potential Health Effects

See section 11 for Chronic exposure studies.

Inhalation

Short Term Exposure: Symptoms are described fully above.

Skin Contact:

Short Term Exposure: Symptoms are described fully above.

Eye Contact:

Short Term Exposure: This product may be irritating to eyes, but is unlikely to cause anything more than mild transient discomfort.

Ingestion:

Short Term Exposure: Symptoms are described fully above.

Carcinogen Status:

SWA: No significant ingredient is classified as carcinogenic by SWA.

NTP: No significant ingredient is classified as carcinogenic by NTP.

IARC: No significant ingredient is classified as carcinogenic by IARC.

Section 3 - Composition/Information on Ingredients

Ingredients	CAS No	Conc,%	TWA (mg/m ³)	STEL (mg/m ³)
Chlorpyrifos	2921-88-2	500g/L	0.2	not set
Liquid hydrocarbon	secret	488g/L	not set	not set
Other non hazardous ingredients	secret	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4 - First Aid Measures

General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

If swallowed, splashed on skin or inhaled, contact a Poisons Information Centre or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, use of activated charcoal may be advised.

SAFETY DATA SHEET

Inhalation: First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Skin Contact: Flush contaminated area with lukewarm, gently flowing water for at least 20-30 minutes, by the clock. DO NOT INTERRUPT FLUSHING. If necessary, keep emergency vehicle waiting (show paramedics this SDS and take their advice). Under running water, remove contaminated clothing, shoes and leather goods (eg watchbands and belts). If breathing has stopped, trained personnel should begin artificial respiration or, if the heart has stopped, cardiopulmonary resuscitation (CPR) immediately.

Eye Contact: No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

Ingestion: If swallowed, do NOT induce vomiting; rinse mouth thoroughly with water and contact a Poisons Information Centre, or call a doctor at once. Give activated charcoal if instructed.

Section 5 - Fire Fighting Measures

Fire and Explosion Hazards: This product is classified as a C1 combustible product. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Extinguishing Media: Water fog or fine spray is the preferred medium for large fires. Try to contain spills, minimise spillage entering drains or water courses.

Fire Fighting: If a significant quantity of this product is involved in a fire, call the fire brigade. There is little danger of a violent reaction or explosion if significant quantities of this product are involved in a fire. Recommended personal protective equipment is liquid-tight chemical protective clothing and breathing apparatus.

Flash point: 67°C (estimate - Pensky Martin closed cup)

Upper Flammability Limit: No data.

Lower Flammability Limit: No data.

Autoignition temperature: No data.

Flammability Class: C1

Section 6 - Accidental Release Measures

Accidental release: In the event of a major spill, prevent spillage from entering drains or water courses. Evacuate the spill area and deny entry to unnecessary and unprotected personnel. Wear full protective chemically resistant clothing including eye/face protection, gauntlets and self contained breathing apparatus. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include rubber, PVC. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. It should be fitted with a type G cartridge, suitable for agricultural chemicals.

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Because of the toxicity of this product, special personal care should be taken in any cleanup operation. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

Section 7 - Handling and Storage

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this schedule of poison. Store in a cool, well ventilated area. Check containers periodically for leaks. Containers should be kept closed in order to minimise contamination. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. If you keep more than 10000kg or L of Dangerous Goods of Packaging Group III, you may be required to license the premises or notify your Dangerous Goods authority. If you have any doubts, we suggest you contact your Dangerous Goods authority in order to clarify your obligations. Check packaging - there may be further storage instructions on the label.

SAFETY DATA SHEET

Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

SWA Exposure Limits	TWA (mg/m ³)	STEL (mg/m ³)
Chlorpyrifos	0.2	not set

The ADI for Chlorpyrifos is set at 0.003mg/kg/day. The corresponding NOEL is set at 0.03mg/kg/day. ADI means Acceptable Daily Intake and NOEL means No-observable-effect-level. Values taken from Australian ADI List, June 2014.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: This product should only be used where there is ventilation that is adequate to keep exposure below the TWA levels. If necessary, use a fan.

Eye Protection: Eye protection such as protective glasses or goggles is recommended when this product is being used.

Skin Protection: It is essential that all skin areas are adequately covered by impermeable gloves, overalls, hair covering, apron and face shield. See below for suitable material types.

Protective Material Types: We suggest that protective clothing be made from the following materials: rubber, PVC.

Respirator: Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above. We suggest any respiratory equipment should be fitted with a type G cartridge, suitable for agricultural chemicals.

Safety deluge showers should, if practical, be provided near to where this product is being used.

Section 9 - Physical and Chemical Properties:

Physical Description & colour:	Clear, amber coloured liquid.
Odour:	Solvent odour.
Boiling Point:	Approx 183°C at 100kPa (solvent)
Freezing/Melting Point:	No specific data. Liquid at normal temperatures.
Volatiles:	No specific data. Expected to be low at 100°C.
Vapour Pressure:	Negligible at normal ambient temperatures.
Vapour Density:	No data.
Specific Gravity:	estimated to be about 1.08 at 20°C
Water Solubility:	Emulsifiable.
pH:	No data.
Volatility:	Negligible at normal ambient temperatures.
Odour Threshold:	No data.
Evaporation Rate:	No data.
Coeff Oil/water Distribution:	No data
Autoignition temp:	No data.

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: This product should be kept in a cool place, preferably below 30°C. Containers should be kept dry. Keep isolated from combustible materials. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

Incompatibilities: strong acids, strong bases, strong oxidising agents.

Fire Decomposition: Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas. Oxides of sulfur (sulfur dioxide is a respiratory hazard) and other sulfur compounds. Most will have a foul odour. Oxides of phosphorus and other phosphorus compounds. Hydrogen chloride gas, other compounds of chlorine. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

Polymerisation: This product will not undergo polymerisation reactions.

SAFETY DATA SHEET

Section 11 - Toxicological Information

Toxicity: An information profile for Chlorpyrifos is available at <http://extoxnet.orst.edu/pips/ghindex.html>

Acute toxicity: Chlorpyrifos is harmful to humans. Symptoms of acute exposure to organophosphate or cholinesterase-inhibiting compounds may include the following: numbness, tingling sensations, incoordination, headache, dizziness, tremor, nausea, abdominal cramps, sweating, blurred vision, difficulty breathing or respiratory depression, and slow heartbeat. Very high doses may result in unconsciousness, incontinence, and convulsions or fatality. Persons with respiratory ailments, recent exposure to cholinesterase inhibitors, cholinesterase impairment, or liver malfunction are at increased risk from exposure to chlorpyrifos. The oral LD₅₀ for chlorpyrifos in rats is 95 to 270 mg/kg. The LD₅₀ for chlorpyrifos is 60 mg/kg in mice, 1000 mg/kg in rabbits, 32 mg/kg in chickens, 500 to 504 mg/kg in guinea pigs, and 800 mg/kg in sheep. The dermal LD₅₀ is greater than 2000 mg/kg in rats, and 1000 to 2000 mg/kg in rabbits. The 4-hour inhalation LC₅₀ for chlorpyrifos in rats is greater than 0.2 mg/L.

Chronic toxicity: Repeated or prolonged exposure to organophosphates may result in the same effects as acute exposure including the delayed symptoms. Other effects reported in workers repeatedly exposed include impaired memory and concentration, disorientation, severe depressions, irritability, confusion, headache, speech difficulties, delayed reaction times, nightmares, sleepwalking, and drowsiness or insomnia. Rats and mice given technical chlorpyrifos in the diet for 104 weeks showed no adverse effects other than cholinesterase inhibition. Two-year feeding studies using doses of 1 and 3 mg/kg/day of chlorpyrifos in rats showed moderate depression of cholinesterase. Cholinesterase levels recovered when the experimental feeding was discontinued. Identical results occurred in a 2-year feeding study with dogs. Human volunteers who ingested 0.1 mg/kg/day of chlorpyrifos for 4 weeks showed significant plasma cholinesterase inhibition.

Reproductive effects: Current evidence indicates that chlorpyrifos does not adversely affect reproduction.

Teratogenic effects: Available evidence suggests that chlorpyrifos is not teratogenic. No birth defects were seen in the offspring of male and female rats fed 1.0 mg/kg/day during a three-generation reproduction and fertility study.

Mutagenic effects: There is no evidence that chlorpyrifos is mutagenic. No evidence of mutagenicity was found in any of four tests performed.

Carcinogenic effects: There is no evidence that chlorpyrifos is carcinogenic.

Organ toxicity: Chlorpyrifos primarily affects the nervous system through inhibition of cholinesterase, an enzyme required for proper nerve functioning.

Fate in humans and animals: Chlorpyrifos is readily absorbed into the bloodstream through the gastrointestinal tract if it is ingested, through the lungs if it is inhaled, or through the skin if there is dermal exposure. In humans, chlorpyrifos and its principal metabolites are eliminated rapidly.

Section 12 - Ecological Information

Effects on birds: Chlorpyrifos is moderately to very highly toxic to birds.

Effects on aquatic organisms: Chlorpyrifos is very highly toxic to freshwater fish, aquatic invertebrates and estuarine and marine organisms. Cholinesterase inhibition was observed in acute toxicity tests of fish exposed to very low concentrations of this insecticide. Application of concentrations as low as 0.01 pounds of active ingredient per acre may cause fish and aquatic invertebrate deaths. Due to its high acute toxicity and its persistence in sediments, chlorpyrifos may represent a hazard to sea bottom dwellers. Smaller organisms appear to be more sensitive than larger ones.

Effects on other organisms: Aquatic and general agricultural uses of chlorpyrifos pose a serious hazard to wildlife and honeybees.

Environmental Fate:

Breakdown in soil and groundwater: Chlorpyrifos is moderately persistent in soils. The half-life of chlorpyrifos in soil is usually between 60 and 120 days, but can range from 2 weeks to over 1 year, depending on the soil type, climate, and other conditions. Chlorpyrifos adsorbs strongly to soil particles and it is not readily soluble in water. It is therefore immobile in soils and unlikely to leach or to contaminate groundwater. TCP, the principal metabolite of chlorpyrifos, adsorbs weakly to soil particles and appears to be moderately mobile and persistent in soils.

Breakdown in water: The concentration and persistence of chlorpyrifos in water will vary depending on the type of formulation. The rate of hydrolysis is constant in acidic to neutral waters, but increases in alkaline waters. In water at pH 7.0 and 25°C, it had a half-life of 35 to 78 days.

Breakdown in vegetation: Chlorpyrifos may be toxic to some plants, such as lettuce. Residues remain on plant surfaces for approximately 10 to 14 days. Data indicate that this insecticide and its soil metabolites can accumulate in certain crops.

Section 13 - Disposal Considerations

Disposal: Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 <http://www.chemclear.com.au/> and for help with the disposal of empty drums, contact DrumMuster <http://www.drummuster.com.au/> where you will find contact details for your area.

SAFETY DATA SHEET

Section 14 - Transport Information

Dangerous according to Australian Dangerous Goods (ADG) Code, IATA and IMDG/IMSBC criteria.

UN Number: 3018, ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC

Hazchem Code: 2X

Special Provisions: 61, 223, 274

Limited quantities: ADG 7 specifies a Limited Quantity value of 5 L for this class of product.

Dangerous Goods Class: Class 6.1, Toxic Substances.

Packaging Group: III

Packaging Method: P001, IBC03, LP01

Class 6 Toxic Substances shall not be loaded in the same vehicle or packed in the same freight container with Classes 1 (Explosives), 3 (Flammable Liquids where the Flammable Liquid is nitromethane), 5.1 (Oxidising Agents where the Toxic Substances are Fire Risk Substances), 5.2 (Organic Peroxides where the Toxic Substances are Fire Risk Substances), 8 (Corrosive Substances where the Toxic Substances are cyanides and the Corrosives are acids), Foodstuffs and foodstuff empties. They may however be loaded in the same vehicle or packed in the same freight container with Classes, 2.1 (Flammable Gases), 2.2 (Non-Flammable, Non-Toxic Gases), 2.3 (Toxic Gases), 3 (Flammable liquids, except where the flammable liquid is nitromethane), 4.1 (Flammable Solids), 4.2 (Spontaneously Combustible Substances), 4.3 (Dangerous When Wet Substances), 5.1 (Oxidising Agents except where the Toxic Substances are Fire Risk Substances), 5.2 (Organic Peroxides except where the Toxic Substances are Fire Risk Substances), 7 (Radioactive Substances), 8 (Corrosive Substances except where the Toxic Substances are cyanides and the Corrosives are acids), 9 (Miscellaneous Dangerous Goods)

Section 15 - Regulatory Information

AICS: All of the significant ingredients in this formulation are compliant with NICNAS regulations.

The following ingredients: Chlorpyrifos, liquid hydrocarbon, are mentioned in the SUSMP.

Section 16 - Other Information

This SDS contains only safety-related information. For other data see product literature.

Acronyms:

ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail (7 th edition)
AICS	Australian Inventory of Chemical Substances
SWA	Safe Work Australia, formerly ASCC and NOHSC
CAS number	Chemical Abstracts Service Registry Number
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
IARC	International Agency for Research on Cancer
NOS	Not otherwise specified
NTP	National Toxicology Program (USA)
R-Phrase	Risk Phrase
SUSMP	Standard for the Uniform Scheduling of Medicines & Poisons
UN Number	United Nations Number

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS

OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "National Code of Practice for the Preparation of Material Safety Data Sheets" 2nd Edition [NOHSC:2011(2003)]

Copyright © Kilford & Kilford Pty Ltd, October, 2015.

<http://www.kilford.com.au/> Phone (02)9251 4532

SAFETY DATA SHEET