



POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

FARMALINX

Dimetholinx

INSECTICIDE

ACTIVE CONSTITUENT: 400 g/L DIMETHOATE (an anti-cholinesterase compound)

GROUP 1B INSECTICIDE


Controls a wide range of insect pests on some fruit, vegetables, citrus, pastures, cotton, lucerne, peanuts and ornamentals as listed in the Directions For Use table.

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE OPENING OR USING

farmalinx *Partners in Agriculture*

FARMALINX Pty Ltd ABN 95 134 353 245
Level 25, Suite 2506, Tower 2, 101 Grafton Street, Bondi Junction NSW 2022
T: 02 9389 2455 F: 02 9389 2844 W: www.farmalinx.com

CONTENTS
20 Litres



FARMALINX

Dimetholinx

INSECTICIDE

STORAGE AND DISPOSAL

Store in the closed, original container, in a cool, well-ventilated area out of direct sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers. Protect from direct sunlight and temperatures above 40°C. If storing for periods of more than 2-3 months avoid temperatures above 30°C.

For Non-Refillable Containers: Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean container to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If not available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Poisonous if absorbed by skin contact, inhaled or swallowed. Repeated minor exposure may have a cumulative poisoning effect. Will damage eyes and skin. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin.

When opening the container and preparing spray wear cotton overalls buttoned to the neck and wrist, a washable hat, a PVC or rubber apron, elbow-length chemical resistant gloves, a face shield and impervious footwear.

When using the prepared spray (or dip for pre-plant and post-harvest dipping) wear elbow-length chemical resistant gloves.

If applying by hand by vehicle mounted low pressure equipment wear cotton overalls buttoned to the neck and wrist, elbow-length chemical resistant gloves and a half face-piece respirator with organic vapour/gas cartridge or canister.

If clothing becomes contaminated with product remove clothing immediately. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. Wash hands after use. After each day's use wash gloves, face-shield, respirator and contaminated clothing

FIRST AID

If swallowed, splashed on skin or in eyes, or inhaled, contact Poisons Information Centre. Phone Australia 13 11 26; or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

SDS

Additional information is listed in the safety data sheet (SDS). A safety data sheet for Farmalinx Dimetholinx Insecticide is available from FARMALINX Pty Ltd on request. Call Customer Service on 02 9389 2455.

Flammable liquid and vapour.

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

Keep container tightly closed.

Take precautionary measures against static discharge.

Avoid breathing fumes, mists, vapours or spray.

In case of fire, note the following. Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal foam can be used. Try to contain spills, minimise spillage entering drains or water courses.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under off-label permits not endorsed by FarmaLinx Pty Ltd or under abnormal conditions. FarmaLinx Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.

APVMA Approval No.: 64309/RV03170



UN NO. 3017
ORGANOPHOSPHOROUS, PESTICIDES,
LIQUID, TOXIC, FLAMMABLE, NOS
(CONTAINS DIMETHOATE)
HAZCHEM CODE: 3W
PACKAGING GROUP: III



Batch No.

Date of Manufacture



IN A TRANSPORT
EMERGENCY
DIAL 000
POLICE OR FIRE BRIGADE

SPECIALIST ADVICE IN AN EMERGENCY ONLY
0408 600 295
ALL HOURS – AUSTRALIA WIDE

farmalinx

Partners in Agriculture