POISON KEEP OUT OF REACH OF CHILDREN FIRE AND EXPLOSION HAZARD READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Back2Blue

QUICK FIX SWIMMING POOL TABLETS

ACTIVE CONSTITUENT: 900g/kg available CHLORINE (CI) present as TRICHLOROISOCYANURIC ACID

For control of bacteria, viruses and protozoa in swimming pools and spas

This product is stabilised to increase the longevity of chlorine in outdoor pools.



HYDRALINX Pty Ltd ABN 95 134 353 245 Suite 2506, Level 25, Tower 2, 101 Grafton Street, Bondi Junction NSW 2022 T: 02 9389 2455 F: 02 9389 2844 W: www.hydralinx.com.au

DIRECTIONS FOR USE D0 NOT USE THIS PRODUCT IN INDOOR POOLS OR COMMERCIAL SPA INSTALLATIONS THIS PRODUCT IS NOT SUITABLE FOR SUPER CHLORINATION.

	POOL VOLUME	RECOMMENDED WEEKLY DOSAGE
	20,000 litres	1 (200g) tablet

These dosage rates are only a guide to achieve the required levels of free chlorine

REQUIRED LEVELS

	Minimum free chlorine level (mg/L)	Total alkalinity (mg/L)	pH range (optimum)	Stabiliser (mg/L)
Cold water	2	60 - 200	7.2 to 7.6	30 - 100
Water temperature greater than 26°C	3	60 - 200	7.2 to 7.6	30 - 100

D0 N0T exceed a concentration of 100mg/L of isocyanurate

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

GENERAL INSTRUCTIONS

CONTENTS

1kg

- The correct level of free chlorine should be maintained for several hours before and during swimming activity.
- Chlorine levels and pH should be tested daily by use of a reliable test kit using fresh testing reagents.
- If pH falls below the required level add dry alkali, if it rises above add dry acid or hydrochloric acid.
 Stabiliser levels MUST be tested fortnightly by use of a reliable test kit. Once stabiliser levels reach 100 mg/L D0 NOT use this product until

stabiliser levels fall below that level. INSTEAD use an unstabilised chlorine product to maintain free chlorine levels. If 100 mg/L of stabiliser is exceeded the ability of the chlorine to control algae, bacteria, viruses and protozoa is reduced. • Always add tablets to a floating dispensing device or feeder designed for trichloroisocyanurate tablets.

• DO NOT USE IN FEEDERS DESIGNED FOR ANY OTHER CHEMICAL SYSTEMS. CAUTION: NOT TO BE USED AS A FOOD CONTAINER.

CONTAINER DISPOSAL: Rinse empty container in the pool water before disposal. Dispose of empty container with household waste.

SAFETY DIRECTIONS: Highly reactive oxidising chlorine compound. May cause fire and explosion or produce severe burns. Harmful if swallowed. Will damage the eyes. Will irritate the skin. May irritate the nose and throat. Avoid contact with the eyes, skin and clothing. DO NOT inhale dust. When opening the container and using the product, wear rubber gloves. If product on skin, immediately wash area with soap and water. If product in eyes, immediately wash it out with water. Wash hands after use

D0 NOT allow the product to come into contact with other chemicals, especially acids, or with combustible material such as paper, fabric, sawdust or kerosene. D0 NOT allow to get damp. Use clean containers for dispensing. D0 NOT mix with other chemicals. D0 NOT mix with different types of chlorinating chemicals. Mix with water only. D0 NOT add water to the product – add the product to water, but in case of fire, drench with water. Store undercover in a dry, clean, cool, well ventilated place away from sunlight. Store and transport in a upridh container.

FIRST AID: If poisoning occurs contact a doctor or Poisons Information Centre (phone 13 1126). If swallowed, D0 N0T induce vomiting. Give a glass of water. If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.



UN 2468 TRICHLOROISOCYANIC ACID, DRY



IN A TRANSPORT EMERGENCY DIAL 000 POLICE OR FIRE BRIGADE SPECIALIST ADVICE IN AN EMERGENCY ONLY 1800 024 973 ALL HOURS – AUSTRALIA WIDE

APVMA Approval No.: 68045/57351