



# POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

FARMALINX

# Sparc

## FUNGICIDE

ACTIVE CONSTITUENT: 700 g/kg DITHIANON

GROUP **M9** FUNGICIDE

*For control of certain diseases of pome fruit as specified in the DIRECTIONS FOR USE table.*

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USING THIS PRODUCT

**farmalinx** *Partners in Agriculture*

FARMALINX Pty Ltd ABN 95 134 353 245  
Level 25, Suite 2506, Tower 2, 101 Grafton Street, Bondi Junction NSW 2022  
T: 02 9389 2455 F: 02 9389 2844 W: [www.farmalinx.com](http://www.farmalinx.com)

NET CONTENTS  
**10kg**

FARMALINX

# SPARC

## FUNGICIDE

### STORAGE AND DISPOSAL

Store in the closed, original container, in a dry, cool, well-ventilated area out of direct sunlight. Single rinse before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. Puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury empty packaging below 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product.

### SAFETY DIRECTIONS

Poisonous if swallowed. Harmful if inhaled. Will damage the eyes. Will irritate the skin. Avoid contact with eyes and skin. Do NOT inhale dust. Repeated exposure may cause allergic disorders. When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist and a

washable hat, elbow-length PVC gloves, and either a half face piece respirator with dust cartridge or canister and goggles or a full face piece respirator with dust cartridge or canister. When using the prepared spray, wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length PVC gloves. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use wash gloves, goggles and contaminated clothing. Human flaggers must be protected by mechanical means such as enclosed vehicle cabs.

### FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 131126.

### SDS

Additional information is listed in the safety data sheet (SDS). A safety data sheet for FARMALINX SPARC Fungicide is available from

FARMALINX Pty Ltd on request. Call Customer Service on 02 9389 2455.

### NOTICE:

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties ) of merchantability or fitness for a particular purpose, express or implied, extends to the use of product contrary to label instructions, or under off-label permits not endorsed by FARMALINX Pty Ltd or under abnormal conditions. FARMALINX Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.

APVMA Approval No: 84773/111396

	IN A TRANSPORT EMERGENCY <b>DIAL 000</b> POLICE OR FIRE BRIGADE
	SPECIALIST ADVICE IN AN EMERGENCY ONLY <b>0417 653 654</b> ALL HOURS – AUSTRALIA WIDE



10kg

Batch No.

Date of Manufacture

**farmalinx**  
*Partners in Agriculture*