POISON KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

FARMALINX



MITICIDE

ACTIVE CONSTITUENTS: 187.5 g/L CLOFENTEZINE 18 g/L ABAMECTIN

GROUP **10A 6** INSECTICIDE

For the control of couch mite in couch turf as specified in the Directions for Use table

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE OPENING OR USING.



 FARMALINX Pty Ltd
 ABN 95 134 353 245

 Suite 2506, Level 25, Tower 2, 101 Grafton Street, Bondi Junction NSW 2022
 T: 02 9389 2455 F: 02 9389 2844

 V: www.farmalinx.com
 W: www.farmalinx.com



FARMALINX

Abazine

MITICIDE

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight.

The container can be recycled if it is clean, dry, free of visible residues and has the drumMUSTER logo visible. Triple-rinse container for disposal. Dispose of rinsate or any undiluted chemical according to state legislative requirements. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any drumMUSTER collection or similar container management program site. The cap should not be replaced, but may be taken separately. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

For refillable containers: Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS

Harmful if swallowed. Will irritate the eyes. May irritate the nose and throat and skin. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. Do not inhale spray mist. If product in eyes, wash it out immediately with water. When opening the container and preparing the product for use and using the product wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and a washable hat, elbow-length chemical resistant gloves and a disposable mist face mask covering mouth and nose. In addition, when mixing and loading wear face shield or goggles. Wash hands after use. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126, New Zealand 0800 764 766.

SDS

Additional information is listed in the safety data sheet (SDS). A safety data sheet for Farmalinx ABAZINE Miticide is available from FARMALINX Pty Ltd on request. Call Customer Service on 02 9389 2455.

May cause damage to the central nervous system and the peripheral nervous system through prolonged or repeated exposure.

Do not eat, drink or smoke when using this product. Get medical advice/attention if you feel unwell.

CONDITIONS OF SALE:

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of product contrary to label instructions, or under off-label permits not endorsed by Farmalinx Pty Ltd or under abnormal conditions. Farmalinx Pty Ltd accepts no liability for any loss or damage arising from incorrect storage. handling or use.

APVMA Approval No. 87784/119253

