POISON KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

FARMALINX

Haloxyfop 520 EC

HERBICIDE

ACTIVE CONSTITUENT: 520 g/L HALOXYFOP present as the HALOXYFOP-R METHYL ESTER

GROUP HERBICIDE

For the post-emergent control of a wide range of annual and perennial grass weeds in grain legume and oilseed crops, lucerne, medic and clover pasture and seed crops, forestry, bananas, citrus, grapes, pineapples, pome and stone fruit, pyrethrum, tropical fruit and nut crops as per the Directions for Use table.

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE OPENING OR USING



 FARMALINX Pty
 Ltd
 ABN 95
 134
 353
 245

 Level 25, Suite 2506, Tower 2, 101
 Grafton Street, Bondi Junction NSW 2022
 T: 02
 9389
 2455
 F: 02
 9389
 2844
 W: www.farmalinx.com



FARMALINX

Haloxyfop 520 EC



HERBICIDE

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. D0 NOT store for prolonged periods in direct sunlight. D0 NOT store near feedstuffs, fertilizers or seeds. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. D0 NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point (contact drumMuster Collection agency or Local Council for collection sites). If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SMALL SPILL MANAGEMENT

Wear protective equipment (see SAFETY DIRECTIONS). Apply absorbent material such as earth, sand, cat litter or clay granules to the spill. When absorption is complete, sweep up material and contain in a refuse vessel for disposal (see STORAGE AND DISPOSAL section). If necessary wash the spill area with an alkali detergent and water and absorb this wash liquid for disposal as described above.

SAFETY DIRECTIONS

Harmful if swallowed. Will irritate the eyes and skin. Avoid contact with eyes and skin. When preparing spray wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length PVC gloves, face shield or goggles. After each day's use wash gloves, face shield or goggles and contaminated clothing. Wash hands after use.

FIRST AID

If poisoning occurs call for a doctor or Poisons Information Centre. Phone Australia 13 11 26. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

SDS

Additional information is listed in the safety data sheet (SDS). A safety data sheet for FARMALINX Haloxyfop 520 EC Herbicide is available from FARMALINX Pty Ltd on request. Call Customer Service on 02 9389 2455.

Combustible liquid.

Keep away from flames and hot surfaces. - No smoking. In case of fire, use carbon dioxide, dry chemical, foam, water fog. Harmful if inhaled. Avoid breathing fumes, mists, vapours or spray.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Do not eat, drink or smoke when using this product.

APVMA Approval No.: 64453/0714

CONDITIONS OF SALE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under off-label permits not endorsed by FARMALINX Pty Ltd or under abnormal conditions. FARMALINX Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.

