

# CAUTION

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

FARMALINX

# Axy-M

**FUNGICIDE SEED TREATMENT**

ACTIVE CONSTITUENT: 350 g/L METALAXYL-M

GROUP **4** FUNGICIDE

*For the control of seedling disease caused by Pythium and Phytophthora in cotton, peas, lucerne, subterranean clover, carrots, beetroot, maize, sweetcorn and radish as specified in the Directions for Use.*

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USING THIS PRODUCT

**farmalinx** *Partners in Agriculture*

FARMALINX Pty Ltd ABN 95 134 353 245  
Level 25, Suite 2506, Tower 2, 101 Grafton Street, Bondi Junction NSW 2022  
T: 02 9389 2455 F: 02 9389 2844 W: [www.farmalinx.com](http://www.farmalinx.com)

CONTENTS

**20 Litres**

FARMALINX

# Axy-M

## FUNGICIDE SEED TREATMENT

### STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area. Do NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do NOT dispose of undiluted chemicals on- site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

For refillable containers empty contents fully into application equipment. Close all valves and return to point of sale for refill or storage.

### SAFETY DIRECTIONS

Will irritate the eyes and skin. Avoid contact with the eyes and skin. When opening the container and preparing the dilute solution wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length PVC gloves and face shield or goggles. When using the prepared spray wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow length PVC gloves. If product in eyes, wash it out immediately with water. Wash hands after use. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

### FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

### MSDS

Additional information is listed in the material safety data sheet (MSDS). A material safety data sheet for FARMALINX AXY-M Fungicide Seed Treatment is available from FARMALINX Pty Ltd on request. Call Customer Service on 02 9389 2455.

### NOTICE TO BUYER:

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use.

No warranty (other than non-excludable statutory warranties ) of merchantability or fitness for a particular purpose, express or implied, extends to the use of product contrary to label instructions, or under off-label permits not endorsed by Farmalinx Pty Ltd or under abnormal conditions. Farmalinx Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.

APVMA Approval No: 80082/100170

	IN A TRANSPORT EMERGENCY <b>DIAL 000</b> POLICE OR FIRE BRIGADE
	SPECIALIST ADVICE IN AN EMERGENCY ONLY <b>0408 600 295</b> ALL HOURS – AUSTRALIA WIDE



20L

Batch No.

Date of Manufacture

**farmalinx**  
*Partners in Agriculture*