POISON KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

FARMALINX

Bifentin 100 EC

INSECTICIDE / MITICIDE

ACTIVE CONSTITUENT: 100 g/L BIFENTHRIN SOLVENT: 748 g/L LIQUID HYDROCARBONS

GROUP **3A** INSECTICIDE

For the control of Helicoverpa spp. in cotton, tomatoes, lucerne seed crops, navy beans; certain species of mites in bananas, cotton and tomatoes; longtailed mealy bug in pears; banana weevil borer and banana rust thrips in bananas; mirids in cotton; whitefly in tomatoes; and redlegged earth mite, blue oat mite, byrobia mite, webworm and brown pasture looper in faba beans, subterranean clover, clover, canola, wheat, barley, field peas, lupins and lucerne and certain species of wireworms in cotton and sugarcane; fig longicorn in grapes and citrus leafeating weevil in citrus as specified in the Directions for Use table.

CONTENTS

5 l itres

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE OPENING OR USING

farmalinx Partners in Agriculture

 FARMALINX Pty Ltd
 ABN 95
 134
 353
 245

 Level 25, Suite 2506, Tower 2, 101
 Grafton Street, Bondi Junction NSW 2022
 T: 02
 9389
 2455
 F: 02
 9389
 2844
 W: www.farmalinx.com

FARMALINX

Bifentin 100EC

INSECTICIDE / MITICIDE

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. D0 NOT store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank. D0 NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or a designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. D0 NOT burn empty containers or product.

For refillable containers: Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS

Poisonous if swallowed. Attacks eyes. Will irritate the skin. Avoid contact with eyes and skin. D0 N0T inhale spray mist. When preparing spray, wear cotton overalls buttoned to the neck and wrist, and washable hat, elbow-length PVC gloves and goggles. If product in eyes, wash it out immediately with water. Wash hands after use. After each day's use, wash gloves, goggles and contaminated clothing.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 13 11 26. If swallowed, do NOT induce vomiting, give a glass of water.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the material safety data sheet (MSDS). A material safety data sheet for FARMALINX Bifentin 100 EC Insecticide/Miticide is available from FARMALINX Pty Ltd on request. Call Customer Service on 02 9389 2455.

APVMA Approval No.: 65842/52150

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under off-label permits not endorsed by FARMALINX Pty Ltd or under abnormal conditions. FARMALINX Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.





Batch No.

Date of Manufacture

