

# Ometho-Mite

**290 SL INSECTICIDE**
**DIRECTIONS FOR USE**

CROP	PEST	RATE	CRITICAL COMMENTS
Pastures, Cereals, Oilseed and legume crops	Redlegged Earth Mite (Not Qld)	100 mL/ha	<b>AUTUMN/WINTER:</b> Spray 2-5 weeks after opening rains when mites have hatched to prevent seedling damage or loss. FARMALINX Ometho-Mite 290 SL Insecticide is rain fast within 1 hour of spraying. Residual control is less on 1-2 true leaf plants. FARMALINX Ometho-Mite 290 SL Insecticide should be mixed with minimum tillage or direct drill sprays to kill existing mite populations. <b>SPRING:</b> Spray mite infested pastures and legumes to prevent damage, yield loss and to reduce infestation pressure in the following autumn. FARMALINX Ometho-Mite 290 SL Insecticide may be added to pasture herbicides.
	Blue Oat Mite (Qld, NSW only)		
	Lucerne Flea (Not Qld)		
	Pasture Mite (Bryobia mite) (NSW, WA only)	120 mL/ha	Spray on appearance and before damage occurs.
Pasture legumes, Lucerne, Faba bean, Vetch	Bluegreen Aphid	100 or 200 mL/ha	Spray when aphids start to build up. Use the higher rate when faster knockdown is required.
	Cowpea Aphid	200 mL/ha	Spray when aphids start to build up.
Pasture	Spotted Clover Aphid	100 mL/ha	Apply at first sign of aphid activity.
Barrier spraying	Redlegged Earth Mite (NSW, WA only)	300 mL/ha	To prevent invasion, spray bare earth outside crop as well as weeds along the fenceline using an offset jet. <b>Note:</b> Rain will reduce the efficacy of the bare earth treatment but leave an effective barrier on the weeds.
Poppy	Redlegged Earth Mite (Tas only)	100 mL/ha	Spray on appearance and before damage occurs.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**WITHHOLDING PERIOD: DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 1 DAY AFTER APPLICATION.**

**GENERAL INSTRUCTIONS**
**INSECTICIDE RESISTANCE WARNING**

For insecticide resistance management, FARMALINX Ometho-Mite 290 SL Insecticide is a Group 1B insecticide. Some naturally occurring insect biotypes resistant to FARMALINX Ometho-Mite 290 SL Insecticide and other Group 1B insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if these insecticides are used repeatedly. The effectiveness of FARMALINX Ometho-Mite 290 SL Insecticide on resistant individuals could be significantly reduced. Since the occurrence of resistant individuals is difficult to detect prior to use, FARMALINX Pty Ltd accepts no liability for any losses that may result from the failure of FARMALINX Ometho-Mite 290 SL Insecticide to control resistant insects. FARMALINX Ometho-Mite 290 SL Insecticide may be subject to specific resistance management strategies. For further information contact your local supplier, FARMALINX representative or local agricultural department agronomist.

GROUP <b>1B</b> INSECTICIDE
-----------------------------

**MIXING**

Mix the required quantity of FARMALINX Ometho-Mite 290 SL Insecticide in sufficient water to give even coverage. Boom sprayers and aircraft are satisfactory for spraying FARMALINX Ometho-Mite 290 SL Insecticide.

**COMPATIBILITY**

Compatible with most commonly used herbicides from direct drilling and minimum tillage to pasture topping. Ensure that FARMALINX Ometho-Mite 290 SL Insecticide is thoroughly mixed in the spray tank before adding a herbicide.

DO NOT mix concentrates together but add each to the spray tank separately.

As formulations of other manufacturer's products are beyond the control of FARMALINX Pty Ltd, all mixtures should be tested prior to the mixing commercial quantities. As changes in climatic conditions can alter the sensitivity of plants to mixtures of spray's, FARMALINX cannot be responsible for the behaviour of such mixtures.

**PROTECTION OF LIVESTOCK**

DANGEROUS TO BEES. DO NOT SPRAY ANY PLANTS IN FLOWER WHILE BEES ARE FORAGING.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT**

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

**STORAGE AND DISPOSAL**

Store in the closed, original container in a cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to the spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling break, crush, or puncture and bury containers at a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

**SAFETY DIRECTIONS**

Product and spray are poisonous if absorbed by skin contact, inhaled or swallowed. Will irritate the eyes. Repeated exposure may cause allergic disorders. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. DO NOT inhale spray mist. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length PVC gloves and face shield and impervious footwear. If clothing becomes contaminated with product remove clothing immediately. If product on skin, immediately wash area with soap and water. If product in eyes, wash out immediately with water. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

**FIRST AID**

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre. Phone Australia 131126 or a Doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

**MATERIAL SAFETY DATA SHEET**

Additional information is listed in the material safety data sheet (MSDS). A material safety data sheet for FARMALINX Ometho-Mite 290 SL Insecticide is available from FARMALINX Pty Ltd on request. Call Customer Service on 02 9389 2455.

**NOTICE:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under off-label permits not endorsed by FARMALINX Pty Ltd or under abnormal conditions. FARMALINX Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.

**farmalinx**  
Partners in Agriculture

FARMALINX Pty Ltd ABN 95 134 353 245  
Level 25, Suite 2506, Tower 2,  
101 Grafton Street, Bondi Junction NSW 2022  
T: 02 9389 2455 F: 02 9389 2844

Website: www.farmalinx.com

APVMA Approval No.: 65414/50861

**POISON**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

FARMALINX

# Ometho-Mite

**290 SL INSECTICIDE**

ACTIVE CONSTITUENT: 290 g/L OMETHOATE  
(an anti-cholinesterase compound)

GROUP **1B** INSECTICIDE

For control of redlegged earth mite, blue oat mite and lucerne flea on pastures, cereals, oilseed and legume crops, and bluegreen aphid and cowpea aphid on pasture legumes, lucerne, faba beans and vetch.

IMPORTANT: THIS LEAFLET IS PART OF THE LABEL ATTACHED TO THE CONTAINER. READ THOROUGHLY BEFORE OPENING OR USING THIS PRODUCT

**farmalinx**

FARMALINX Pty Ltd ABN 95 134 353 245  
Level 25, Suite 2506, Tower 2, 101 Grafton Street,  
Bondi Junction NSW 2022