

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE
OPENING OR USING


FARMALINX

Sixgun 360

HERBICIDE

ACTIVE CONSTITUENT: 360 g/L GLYPHOSATE
present as the ISOPROPYLAMINE SALT

GROUP **M** HERBICIDE



Water soluble herbicide for non-selective control of many annual and perennial weeds in the situations.

CONTENTS
1 Litre

farmalinx *Partners in Agriculture*

FARMALINX Pty Ltd ABN 95 134 353 245

Level 25, Suite 2506, Tower 2, 101 Grafton Street, Bondi Junction NSW 2022

T: 02 9389 2455 F: 02 9389 2844 W: www.farmalinx.com

Sixgun 360 Herbicide kills weeds, unwanted grasses and vegetation in Domestic, Public Services, Commercial and Industrial Areas.

HOW TO USE: DO NOT treat if rain is likely within 6 hours.

DO NOT disturb treated weeds for 7 days after treatment.

WEEDS CONTROLLED	RATE	HOW TO APPLY
General Mixed Weeds Annual and Perennial Weeds	10 mL per 1 L water	TIMING: Apply when weeds are actively growing. For best results on perennial weeds treat after flowering. Treat woody leaves from flowering to leaf fall (Jan-May). DO NOT spray plants bearing edible berries. APPLICATION: Uniform and complete spray to wet all leaves. Run-off should not occur. 1 litre of spray will cover 10 square metres. The addition of a non-ionic surfactant is recommended at a rate of 1 mL of a 600 g/L product (or equivalent) per 1 L spray solution. Seeding or planting into treated areas may proceed after 7 days.
Woody Weeds	15 mL per 1 L water	

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

HOW TO PREPARE: Mix this product with clean water. Use only plastic lined brass, copper, fibreglass, aluminium, plastic or stainless steel containers for mixing and application. DO NOT mix more than can be used within 5 days. Wash out spray equipment thoroughly after use.

CAUTION: DO NOT allow spray to contact or drift onto plants you do not want killed. Accidental contact must be hosed with water immediately to reduce injury to plants.

DO NOT allow chemical containers or spray to get into drains, sewers, streams or ponds.

DO NOT spray directly on humans, pets, exposed food, food preparation areas or food utensils.

STORAGE AND DISPOSAL: Store in the closed original container in a cool, dry place out of reach of children. DO NOT store in direct sunlight. Dispose of empty container by wrapping in paper, placing in a plastic bag and putting in the garbage.

SAFETY DIRECTIONS: Avoid contact with eyes and skin. Wash hands after use.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre.
Phone Australia 131126.

MATERIAL SAFETY DATA SHEET : Additional information is listed in the material safety data sheet (MSDS). A material safety data sheet for FARMALINX Sixgun 360 is available from FARMALINX Pty Ltd on request. Call Customer Service on 02 9389 2455.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal

conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under off-label permits not endorsed by FARMALINX Pty Ltd or under abnormal conditions. FARMALINX Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.

IN A TRANSPORT EMERGENCY

DIAL 000

POLICE OR FIRE BRIGADE

SPECIALIST ADVICE IN AN EMERGENCY ONLY

0408 600 295

ALL HOURS – AUSTRALIA WIDE

Batch No.

Date of
Manufacture



APVMA Approval No. 64323/1L/0610