

DIRECTIONS FOR USE

SITUATION	APPLICATION RATE	CRITICAL COMMENTS
For general Insecticides, Herbicides, Fungicides		
High Volume Power Spray	100 mL per 100 L	Always consult the pesticide label for exact application rates.
Low Volume Boom Spray	40 mL per 100 L	
Misting Machine	5 mL per 5 L	
Knapsack	2 mL per 15 L	
For Contact Herbicides — e.g. Paraquat		Spray until stems and leaves are wet. These higher rates ensure the plants are thoroughly wetted.
High Volume Power Spray and Boom Spray	120 mL per 100 L	
Knapsack	20 mL per 15 L	
For Selective Herbicides — e.g. dimes and tops	200-250 mL per 100 L	Using FARMALINX WetDrop Wetter outside pesticide label directions may reduce selectivity. DO NOT add FARMALINX WetDrop Wetter when mixing diclofop with a broadleaf herbicide.
Soil Residual Herbicides — e.g. diuron	100-400 mL per 100 L	See pesticide label for exact rates.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

FARMALINX WetDrop Wetter

- Is a spray additive suitable for herbicides.
- Increases wetting and spray coverage.
- Is suitable for use with all types of water.
- Is suitable for high and low volume spraying.
- Is 100% active non-ionic surfactant
- Can be used with acid and alkaline sprays.

PREPARATION

Fill tank to at least half with water. Add FARMALINX WetDrop Wetter and stir. Add pesticide and stir. Top up tank with required amount of water. Stir until completely mixed.

DO NOT add directly to undiluted sprays containing wetting agents.

Only use wetter where directed on the pesticide label.

Refer to the label of the pesticide to be mixed with for further instructions. See First Aid and Safety Directions.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Toxic to fish. DO NOT contaminate streams, rivers and waterways with the chemical or used containers.

STORAGE AND DISPOSAL

KEEP OUT OF REACH OF CHILDREN. Store in the closed, original container in a cool well-ventilated area. DO NOT store for prolonged periods in direct sunlight.

For Non-Refillable Containers: Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean container to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If not available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

For Refillable Containers: Storage must be secure so that contents cannot be tampered with. All locks and/or seals must be in order. If locks or seals are broken prior to initial use then the integrity of this product cannot be assured. If this occurs FARMALINX Pty Ltd should be advised immediately. Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under off-label permits not endorsed by FARMALINX Pty Ltd or under abnormal conditions. FARMALINX Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.

farmalinx
Partners in Agriculture

FARMALINX Pty Ltd ABN 95 134 353 245
Level 25, Suite 2506, Tower 2,
101 Grafton Street, Bondi Junction NSW 2022
T: 02 9389 2455 F: 02 9389 2844

Website: www.farmalinx.com

APVMA Approval No.: 64320/0809

SAFETY DIRECTIONS

Avoid all skin and eye contact. Wear rubber/PVC gloves, goggles and overalls.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor

MATERIAL SAFETY DATA SHEET

Additional information is listed in the material safety data sheet (MSDS). A material safety data sheet for FARMALINX WetDrop Wetter is available from FARMALINX Pty Ltd on request. Call Customer Service on 02 9389 2455.

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

FARMALINX

WetDrop

WETTER

ACTIVE CONSTITUENT: 1000 g/L ALKOXYLATED ALCOHOL

Wetting agent for use with knockdown and residual herbicides.

IMPORTANT: THIS LEAFLET IS PART OF THE LABEL ATTACHED TO THE CONTAINER. READ THOROUGHLY BEFORE OPENING OR USING THIS PRODUCT

FARMALINX Pty Ltd ABN 95 134 353 245
Level 25, Suite 2506, Tower 2, 101 Grafton Street,
Bondi Junction NSW 2022

farmalinx